

Kaiserschnitt: Ja! Nein! Vielleicht?

Fußnoten- und Literaturverzeichnis zur 2. überarbeiteten Auflage, Januar 2012

Fußnotenverzeichnis

- ¹ Statistisches Bundesamt 2011
- ² Althabe & Belizan 2006
- ³ MIDIRS 2005
- ⁴ MIDIRS 2005
- ⁵ Dudenhausen et al. 2008
- ⁶ Kirschbaum & Heinrichs 2006
- ⁷ Lutz & Kolip 2006
- ⁸ AWMF 2008
- ⁹ AWMF 2008
- ¹⁰ Duden 2007
- ¹¹ Jungermann & Slovic 1993
- ¹² Wiedemann & Schütz, 2006
- ¹³ AWMF 2008
- ¹⁴ AWMF 2008
- ¹⁵ Hellbernd et al. 2005
- ¹⁶ Statistisches Bundesamt 2011
- ¹⁷ WHO 1985
- ¹⁸ Menacker 2010
- ¹⁹ Dudenhausen 2010
- ²⁰ Lutz & Kolip 2006
- ²¹ ProCompliance 2007
- ²² Oblasser 2007
- ²³ Lutz & Kolip 2006
- ²⁴ AWMF 2004
- ²⁵ AWMF 2006
- ²⁶ AWMF 2008
- ²⁷ AWMF 2006
- ²⁸ NICE 2004a
- ²⁹ AWMF 2006
- ³⁰ NICE 2004a
- ³¹ AWMF 2008
- ³² MIDIRS 2005
- ³³ Lutz & Kulip 2006
- ³⁴ Mailàth-Pkorny 2009
- ³⁵ NICE 2004a

- ³⁶ NICE 2004a
³⁷ AWMF 2006
³⁸ Lutz & Kolip 2006
³⁹ NICE 2004a
⁴⁰ Childbirth Connection 2006
⁴¹ AWMF 2008
⁴² Lutz & Kolip 2006
⁴³ AWMF 2006
⁴⁴ NIH 2006
⁴⁵ NIH 2006; Ponte 2007
⁴⁶ AWMF 2006; NIH 2006
⁴⁷ Ecker & Frigoletto 2007
⁴⁸ Ponte 2007
⁴⁹ NIH 2006
⁵⁰ Wax 2004
⁵¹ Dudenhausen 2010
⁵² AWMF 2006
⁵³ Lutz & Kolip 2006
⁵⁴ Lutz & Kolip 2006
⁵⁵ Lutz & Kolip 2006
⁵⁶ van Dillen 2010
⁵⁷ Liu 2007
⁵⁸ ProCompliance 2005
⁵⁹ Cheesman 2009
⁶⁰ Hawkins 1997
⁶¹ Childbirth Connection 2006
⁶² Kainu 2009
⁶³ Leth 2009
⁶⁴ NICE 2004a
⁶⁵ Lutz & Kolip 2006
⁶⁶ Lal 2003a
⁶⁷ Thom 2010
⁶⁸ Wesnes 2009
⁶⁹ Dolan 2010
⁷⁰ Press 2007
⁷¹ Nelson 2010
⁷² Dolan 2010
⁷³ Lal 2003b
⁷⁴ Fenner 2006
⁷⁵ Childbirth Connection 2006

- ⁷⁶ Kalis 2008
⁷⁷ WHO 2005
⁷⁸ Lutz & Kolip 2006
⁷⁹ AWMF 2008
⁸⁰ AWMF 2006
⁸¹ Lutz & Kolip 2006
⁸² MIDIRS 2005
⁸³ Childbirth Connection 2006
⁸⁴ Lutz & Kolip 2006
⁸⁵ Oral & Elter 2007
⁸⁶ NIH 2006
⁸⁷ Shellhaas 2009
⁸⁸ Bodelon 2009
⁸⁹ MIDIRS 2005
⁹⁰ Thornton 2006
⁹¹ NIH 2006
⁹² Silver 2010
⁹³ AWMF 2010
⁹⁴ AWMF 2006
⁹⁵ Lutz & Kolip 2006
⁹⁶ NIH 2006
⁹⁷ Andolf 2010
⁹⁸ Frick 2010
⁹⁹ NICE 2004a
¹⁰⁰ Galyean 2009
¹⁰¹ NIH 2006
¹⁰² NICE 2004a
¹⁰³ NICE 2004b
¹⁰⁴ NICE 2004c
¹⁰⁵ Yang 2011
¹⁰⁶ Childbirth Connection 2006
¹⁰⁷ Sakala 2006
¹⁰⁸ Liu 2007
¹⁰⁹ Kuklina 2009
¹¹⁰ AHRQ 2010
¹¹¹ Cahill 2010
¹¹² Bangdiwala 2010
¹¹³ Fogelsen 2005
¹¹⁴ NICE 2004c
¹¹⁵ Toker 2009

- ¹¹⁶ NICE 2004c
¹¹⁷ Löffler 2005
¹¹⁸ NIH 2006
¹¹⁹ Hansen 2008
¹²⁰ Quiroz 2009
¹²¹ Heinzmann 2009
¹²² Benterud 2009
¹²³ Farchi 2009
¹²⁴ Lutz & Kolip 2006
¹²⁵ AWMF 2006
¹²⁶ Lutz & Kolip 2006
¹²⁷ Malloy 2009
¹²⁸ MacDormann 2006
¹²⁹ Peaceman 2009
¹³⁰ Rossi 2011
¹³¹ Zanardo 2010
¹³² Tamminen 1983
¹³³ Evans 2003
¹³⁴ Roduit 2009
¹³⁵ Roduit 2009
¹³⁶ Koplin 2008
¹³⁷ Galyeany 2009
¹³⁸ Kamath 2009
¹³⁹ Tita 2009
¹⁴⁰ NICE 2004a
¹⁴¹ NICE 2004b
¹⁴² NICE 2004c
¹⁴³ Sakala 2006
¹⁴⁴ Childbirth Connection 2006
¹⁴⁵ De Luca 2011

Literaturverzeichnis

AHRQ, Agency for Healthcare Research and Quality (2006): Cesarean Delivery on Maternal Request. Evidence Report/Technology Assessment No. 133. U.S. Department of Health and Human Services, 540 Gaither Road, Rockville

AHRQ, Agency for Healthcare Research and Quality (2010): Vaginal Birth after Caesarean: New Insights. Evidence Report/Technology Assessment No. 191. U.S. Department of Health and Human Services, 540 Gaither Road, Rockville

Althabe F, Belizan JF. Caesarean section: The paradox. *The Lancet* 2006;368:1472-3.

Andolf E, Thorsell M, Källén K (2010): Cesarean delivery and risk for postoperative adhesions and intestinal obstruction: a nested case-control study of the Swedish Medical Birth Registry. *Am J Obstet Gynecol* 203(4): 406.e1-6

AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2004): Anwesenheit der Väter bei Sectio Caesarea. Gemeinsame Empfehlung der Deutschen Gesellschaft für Anästhesiologie und Intensivmedizin, des Berufsverbandes Deutscher Anästhesisten, der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe und des Bundesverbandes der Frauenärzte. AWMF.Leitlinie 015/022. Überarbeitung 2008; AWMF Online

AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2006): Absolute und relative Indikationen zur Sectio caesarea und so genannte Sectio auf Wunsch. Leitlinien der Arbeitsgemeinschaft Medizinrecht der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). AWMF.Leitlinie 015/054. AWMF Online

AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2008): Absolute und relative Indikationen zur Sectio caesarea und so genannte Sectio auf Wunsch. Leitlinien der Arbeitsgemeinschaft Medizinrecht der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). AWMF.Leitlinie 015/054. Überarbeitung 2008; AWMF Online

AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2010): Plazentationsstörungen bei Status nach Sectio. Deutsche Gesellschaft für Gynäkologie und Geburtshilfe (DGGG) – Arbeitsgemeinschaft Medizinrecht in der DGGG. AWMF.Leitlinie 015/046. Überarbeitung 2010; AWMF Online

Benterud T, Sandvik L, Lindemann R (2009): Cesarean section is associated with more frequent pneumothorax and respiratory problems in the neonate. *Acta Obstet Gynecol Scand*. 88(3): 359-61

Bodelon C, Bernabe-Ortiz A, Schiff MA, Reed SD (2009): Factors associated with peripartum hysterectomy. *Obstet Gynecol* 114(1): 115-123

Cahill AG, Tuuli M., Odibo AO, Stamilio DM, Macones GA (2010): Vaginal birth after caesarean for women with three or more prior caesareans: assessing safety and success. *BJOG* 117(4):422-7

Cheesman K, Brady JE, Flood P, Li G (2009): Epidemiology of anesthesia-related complications in labor and delivery, New York State, 2002-2005. *Anesth Analg* 109(4): 1174-1181

Childbirth Connection (2006): What Every Pregnant Woman Needs to Know About Cesarean Section. (2nd Ed.) 281 Park Av. South, New York

Bangdiwala SI, Brown SS, Cunningham FG, Dean TM, Frederiksen M, Hogue CJ, King TL, Lukacz ES, McCullough LB, Nicholson W, Petit NF, Probstfield JL, Viguera AC, Wong CA, Zimmet SC (2010): NIH Consensus Development Conference Draft Statement on Vaginal Birth After Cesarean: New Insights. *NIH Consens State Sci Statements*. 27(3), March 8-10

De Luca R, Boulvain M, Irion O, Berner M, Pfister RE (2009): Incidence of early neonatal mortality and morbidity after late-preterm and term cesarean delivery. *Pediatrics* 123(6): e1064-1071

Dillen van J, Zwart JJ, Schutte J, Bloemenkamp KW, Roosmalen van J (2010): Severe acute maternal morbidity and mode of delivery in the Netherlands. *Acta Obstet Gynecol Scand* 89(11): 1460-1465

Dolan LM, Hilton P (2010): Obstetric risk factors and pelvic floor dysfunction 20 years after first delivery. *Int Urogynecol J Pelvic Floor Dysfunct* 21(5): 535-544

Duden, *Das Fremdwörterbuch*, Bd. 5, 2007, 9. Aufl.

Dudenhausen JW, Chervanak FA (2010): Late motherhood and cesarean delivery. *Journal of Perinatal Medicine* 38(6): 596-570

Dudenhausen JW, Pschyrembel W, Obladen M (2008): Praktische Geburtshilfe. Mit Geburtshilflichen Operationen. Gruyter

Ecker JL, Frigoletto FD Jr (2007): Cesarean Delivery and the Ris-Benefit Calculus. New England Journal of Medicine. 356(9): 885-888

Evans KC, Evans RG, Royal R, Esterman AJ, James SL (2003): Effect of caesarean section on breast milk transfer to the normal term newborn over the first week of life. Arch Dis Child Fetal Neonatal 88: F380-F382

Farchi S, Di Lallo D, Franco F, Polo A, Lucchini R, Calzolari F, De Curtis M (2009): Neonatal respiratory morbidity and mode of delivery in a population-based study of low-risk pregnancies. Acta Obstet Gynecol Scand 88(6): 729-732

Fenner D (2006): Anal incontinence: relationship to pregnancy, vaginal delivery, and cesarean section. Seminars in Perinatology 30(5) : 261-266

Fogelson NS, Menard MK, Hulsey T, Ebeling M (2005): Neonatal impact of elective repeat cesarean delivery at term: a comment on patient choice cesarean delivery. Am J Obstet Gynecol 192(5): 1433-1436

Frick AC, Drey EA, Diedrich JT, Steinauer JE (2010): Effect of prior cesarean delivery on risk of second-trimester surgical abortion complications. Obstet Gynecol 115(4): 760-764.

Galyean AM, Lagrew DC, Bush MC, Kurtzman JT (2009): Previous cesarean section and the risk of postpartum maternal complications and adverse neonatal outcomes in future pregnancies. J Perinatol 29(11): 726-730

Hansen AK, Wisborg K, Uldbjerg N, Henriksen TB (2008): Risk of respiratory morbidity in term infants delivered by elective caesarean section: Cohort study. British Medical journal 336: 85-87

Hawkins JL, Koonin LM, Palmer SK, Gibbs CP (1997): Anesthesia-related deaths during obstetric delivery in the United States, 1979-1990. Anesthesiology 86(2): 277-284

Heinzmann A, Brugger M, Engels C, Prömpeler H, Superti-Furga A, Strauch K, Krueger M (2009): Risk factors of neonatal respiratory distress following vaginal delivery and cesarean section in the German population. Acta Paediatr 98(1): 25-30

Hellbernd H, Brzank P, Wieners K, Maschewsky-Schneider H: *Das S.I.G.N.A.L.-Interventionsprogramm. Wissenschaftlicher Bericht. Handbuch für die Praxis. Bundeszentrale für gesundheitliche Aufklärung, Köln 2005 (Materialien zur Implementierung von S.I.G.N.A.L.-Interventionsprogrammen 2005)*

Jungermann & Slovic (1993). Charakteristika individueller Risikowahrnehmung. In: BayrischeRück (Ed.), *Risiko ist ein Konstrukt* (pp 89 – 107). München: Knesebeck

Kainu JP, Sarvela J, Tiippuna E, Halmesmäki E, Korttila KT (2009): Persistent pain after caesarean section and vaginal birth: a cohort study. Int J Obstet Anesth 19(1): 4-9

Kalis V, Stipán J, Chaloupka P, Karbanová J, Rokyta Z (2008): Caesarean section and anal incontinence. Ceska Gynekol 73(2): 112-8

Kamath BD, Todd JK, Glazner JE, Lezotte D, Lynch AM (2009): Neonatal outcomes after elective cesarean delivery. Obstet Gynecol 113(6): 1231-1238

Kirschbaum C, Heinrichs M (2006): Biopsychologische Grundlagen. In: Wittchen H.-U., Hoyer J (Eds.). *Klinische Psychologie & Psychotherapie*. Springer Medizin Verlag Heidelberg

Koplin J, Allen K, Gurrin L, Osborne N, Tang ML, Dharmage S (2008): Is caesarean delivery associated with sensitization to food allergens and IgE-mediated food allergy: a systematic review. Pediatr Allergy Immunol 19(8): 682-687

Kuklina EV, Meikle SF, Jamieson DJ, Whiteman MK, Barfield WD, Hillis SD, Posner SF (2009): Severe obstetric morbidity in the United States: 1998-2005. Obstet Gynecol 113(2 Pt 1): 293-299

Lal M (2003a): Prevention of urinary and anal incontinence: role of elective cesarean delivery. Curr Opin Obstet Gynecol 15(5): 439-448

Lal M, H Mann C, Callender R, Radley S (2003b): Does cesarean delivery prevent anal incontinence? Obstet Gynecol 101(2): 305-312

Leth RA, Moeller JK, Thomsen RW, Uldbjerg N, Noergaard M (2009): Risk of selected postpartum infections after cesarean section compared with vaginal birth: A five-year cohort study of 32,468 women. Acta Obstet Gynecol Scand. 29: 1-8

- Liu S, Liston RM, Joseph KS, Heaman M, Sauve R, Kramer MS; Maternal Health Study Group of the Canadian Perinatal Surveillance System (2007): Maternal mortality and severe morbidity associated with low-risk planned cesarean delivery versus planned vaginal delivery at term. *CMAJ* 176(4) : 455-460
- Löffler C (2005): Pressen oder schneiden? *Zeit-Wissen* 04/2005. Unter <http://zeus.zeit.de/zeit-wissen>.
- Lutz U, Kolip P (2006): Die GEK-Kaiserschnittstudie. Gmünder Ersatzkasse (Hrsg). Schriftenreihe zur Gesundheitsanalyse, Bd. 42. Sankt Augustin, Asgard-Verlag Hippe
- MacDorman MF, Declercq E, Menacker F, Malloy MH (2006): Infant and neonatal mortality for primary cesarean and vaginal births to women with no indicated risk, United States, 1998-2001 Birth Cohorts. *Birth* 33(3): 175-182
- Malloy MH (2009): Impact of cesarean section on intermediate and late preterm births: United States, 2000-2003. *Birth* 36(1): 26-33
- Menacker F, Hamilton BE (2010): Recent trends in cesarean delivery in the United States. *NCHS Data Brief* (35): 1-8
- MIDIRS (2005): Caesarean section and VBAC (Vaginal birth after caesarean). Informed Choice for Professionals. 9 Elmdale Rd., Bristol
- Nelson RL, Furner SE, Westercamp M, Farquhar C (2010): Cesarean delivery for the prevention of anal incontinence. *Cochrane Database Syst Rev*. 17 (2): CD006756
- NICE, National Institute for Clinical Excellence (2004a): Caesarean section; Clinical Guideline 13. 71 High Holborn, London
- NICE, National Institute for Clinical Excellence (2004b): Caesarean section; Summary of effects and procedural aspects. 71 High Holborn, London
- NICE, National Institute for Clinical Excellence (2004c): Caesarean section; Understanding NICE guidance – information for pregnant women, their partners and the public. 71 High Holborn, London
- NIH, National Institutes of Health (2006): NIH State-of-the-Science Conference Statement on Cesarean Delivery on Maternal Request. NIH Consensus and State-of-the-Science Statements 23(1)
- Oblässer C, Ebner U, Wesp G (2007): Der Kaiserschnitt hat kein Gesicht. Edition Riedenburg, Salzburg
- Oral E, Elter K (2007): The impact of cesarean birth on subsequent fertility. *Curr Opin Obstet Gynecol* 19(3): 238-243
- Peaceman AM, Kuo L, Feinglass J (2009): Infant morbidity and mortality associated with vaginal delivery in twingestations. *Am J Obstet Gynecol* 200(4): 462.e1-6
- Ponte W (2007): Cesarean birth in a culture of fear. *Mothering* 9/10: 49-63
- Press JZ, Klein MC, Kaczorowski J, Liston RM, von Dadelszen P (2007): Does cesarean section reduce postpartum urinary incontinence? A systematic review. *Birth* 34(3) : 228-237
- ProCompliance (Hrsg) (2005): Geburtshilfliche Regionalanästhesie; dokumentierte Patientenaufklärung. Thieme Verlag, Erlangen
- Quiroz LH, Chang H, Blomquist JL, Okoh YK, Handa VL (2009): Scheduled cesarean delivery: maternal and neonatal risks in primiparous women in a community hospital setting. *Am J Perinatol* 26(4): 271-277
- Roduit C, Scholtens S, de Jongste JC, Wijga AH, Gerritsen J, Postma DS, Brunekreef B, Hoekstra MO, Aalberse R, Smit HA (2009): Asthma at 8 years of age in children born by caesarean section. *Thorax* 64(2): 107-113
- Rossi A, Mullin P, Chmait R (2011): Neonatal outcomes of twins according to birth order, presentation and mode of delivery: a systematic review and meta-analysis. *BJOG* 118(5) : 523-532
- Sakala C (2006): Vaginal or Cesarean Birth? A Systematic Review to Determine What is at Stake for Mothers and Babies. Childbirth Connection. www.childbirthconnection.org/article.asp?ck=1027&ClickedLink=200&area=2
- Shellhaas CS, Gilbert S, Landon MB, Varner MW, Leveno KJ, Hauth JC, Spong CY, Caritis SN, Wapner RJ, Sorokin Y, Miodovnik M, O'Sullivan MJ, Sibai BM, Langer O (2009): The frequency and complication rates of hysterectomy accompanying cesarean delivery. *Obstet Gynecol* 114(2 Pt 1): 224-229
- Silver RM (2010): Delivery after previous cesarean: long-term maternal outcomes. *Semin Perinatol* 34(4) : 258-266

Statistisches Bundesamt (2011): 2009: Fast jede dritte Entbindung im Krankenhaus per Kaiserschnitt. Pressemitteilung Nr. 117 vom 23.3.2011. Wiesbaden; detailliert in: Statistisches Bundesamt (2011): Gesundheit, Grunddaten der Krankenhäuser. Fachserie 12 Reihe 6.1.1 Abschnitt 2.15

Tamminen T, Verronen P, Saarikoski S, Göransson A, Tuomiranta H (1983): The influence of perinatal factors on breast feeding. *Acta Paediatr Scand* 72(1): 9-12

Thom DH, Rortveit G (2010): Prevalence of postpartum urinary incontinence: a systematic review. *Acta Obstet Gynecol Scand* 89(12): 1511-1522

Thornton P (2006): New study confirms cesarean risks. Medical News Today, 8 April. Unter: www.medicalnewstoday.com

Tita AT, Lai Y, Landon MB, Spong CY, Leveno KJ, Varner MW, Caritis SN, Meis PJ, Wapner RJ, Sorokin Y, Peaceman AM, O'Sullivan MJ, Sibai BM, Thorp JM, Ramin SM (2009): Timing of elective repeat cesarean delivery at term and maternal perioperative outcomes. *Obstet Gynecol* 117(2 Pt 1): 280-286

Toker A, Perry ZH, Cohen E, Krymko H (2009): Cesarean section and the risk of fractured femur. *Isr Med Assoc J* 11(7) : 416-418

Wax JR, Cartin A, Pinette MG, Blackstone J (2004): Patient choice cesarean: an evidence-based review. *Obstet Gynecol Surv* 59(8): 601-616

Wesnes SL, Hunskaar S, Bo K, Rortveit G (2009): The effect of urinary incontinence status during pregnancy and delivery mode on incontinence postpartum. A cohort study. *BJOG* 116(5): 700-707

WHO, World Health Organization (1985): Joint Interregional Conference on Appropriate Technology for Birth, 22 - 26 April, Fortaleza, Brazil. ICP/MCH 102/m02(S) 0175V. World Health Organization, Regional Office for Europe, Geneva

WHO, World health Organization (2005): The World Health Report 2005 – Make every mother and child count. World Health Reporting World Health Organization (Ed), Geneva, Switzerland. Unter: <http://www.who.int/whr/2005/annexes-en.pdf>

Wiedemann & Schütz, 2006. Risikokommunikation im Überblick. In: Linneweber und Lantermann (Eds.). *Enzyklopädie der Psychologie: Umweltpsychologie* (Vol. 2). Göttingen: Hogrefe

Yang SN, Shen LJ, Ping T, Wang YC, Chien CW (2011): The delivery mode and seasonal variation are associated with the development of postpartum depression. *J Affect Disord* (ahead of publ, March 3)

Zanardo V, Svegliado G, Cavallin F, Giustardi A, Litta P, Trevisanuto D (2010): Elective cesarean delivery: does it have a negative effect on breastfeeding? *Birth* 37(4): 275-279